

RNA sequence elements required for high affinity binding by the zinc finger

domain of tristetraprolin: conformational changes coupled to the bipartite nature of Au-rich mRNA-destabilizing motifs.

Brewer BY, Malicka J, Blackshear PJ, Wilson GM,

J Biol Chem 2004 279(27):27870-27877

<http://www.jbc.org/cgi/reprint/279/27/27870>

Strategic mutations in the class I major histocompatibility complex HLA-A2 independently affect both peptide binding and T cell receptor recognition.

Baxter TK, Gagnon SJ, Davis-Harrison RL, Beck JC, Binz AK, Turner RV,

Biddison WE, Baker BM,

J Biol Chem 2004 279(28):29175-29184

<http://www.jbc.org/cgi/reprint/279/28/29175>

The role of the hydrophobic distal heme pocket of CooA in ligand sensing and response.

Youn H, Kerby RL, Roberts GP,

J Biol Chem 2003; 278(4):2333-40

<http://www.jbc.org/cgi/reprint/278/4/2333>

Evidence for a functional monomeric form of the bacteriophage T4 Dda helicase. Dda does not form stable oligomeric structures.

Morris PD, Tackett AJ, Babb K, Nanduri B, Chick C, Scott J, Raney KD,

J Biol Chem 2001; 276(23):19691-8

<http://www.jbc.org/cgi/reprint/276/23/19691>

Solution structures of stem-loop RNAs that bind to the two N-terminal RNA-binding domains of nucleolin.

Finger LD, Trantirek L, Johansson C, Feigon J,

Nucleic Acids Res 2003 31(22):6461-6472

<http://nar.oupjournals.org/cgi/reprint/31/22/6461>

Pre-steady-state DNA unwinding by bacteriophage T4 Dda helicase reveals a monomeric molecular motor.

Nanduri B, Byrd AK, Eoff RL, Tackett AJ, Raney KD,

Proc Natl Acad Sci U S A 2002; 99(23):14722-7

<http://www.pnas.org/cgi/reprint/99/23/14722>

Damage-mediated phosphorylation of human p53 threonine 18 through a cascade

mediated by a casein 1-like kinase. Effect on Mdm2 binding.

Sakaguchi K, Saito S, Higashimoto Y, Roy S, Anderson CW, Appella E,

J Biol Chem 2000; 275(13):9278-83

<http://www.jbc.org/cgi/reprint/275/13/9278>

Characteristics of the interaction of a synthetic human tristetraprolin tandem zinc finger peptide with AU-rich element-containing RNA substrates.

Blackshear PJ, Lai WS, Kennington EA, Brewer G, Wilson GM, Guan X, Zhou P,

J Biol Chem 2003; 278(22):19947-55

<http://www.jbc.org/cgi/reprint/278/22/19947>

14-3-3 interacts with regulator of G protein signaling proteins and modulates their activity.

Benzing T, Yaffe MB, Arnould T, Sellin L, Schermer B, Schilling B, Schreiber

R, Kunzelmann K, Leparac GG, Kim E, Walz G,

J Biol Chem 2000; 275(36):28167-72

<http://www.jbc.org/cgi/reprint/275/36/28167>

17beta-estradiol affords protection against 4-vinylcyclohexene diepoxide-induced ovarian follicle loss in Fischer-344 rats.

Thompson KE, Sipes IG, Greenstein BD, Hoyer PB,

Endocrinology 2002; 143(3):1058-65

<http://endo.endojournals.org/cgi/reprint/143/3/1058>

Characteristics of the interaction of a synthetic human tristetraprolin tandem zinc finger peptide with AU-rich element-containing RNA substrates.

Blackshear PJ, Lai WS, Kennington EA, Brewer G, Wilson GM, Guan X, Zhou P,  
J Biol Chem 2003; 278(22):19947-55

<http://www.jbc.org/cgi/reprint/278/22/19947>

Intragenic suppressors of Hsp70 mutants: interplay between the ATPase- and peptide-binding domains.

Davis JE, Voisine C, Craig EA,

Proc Natl Acad Sci U S A 1999; 96(16):9269-76

<http://www.pnas.org/cgi/reprint/96/16/9269>